AUTHOR CITATION INDEX

Abadia-Fenoll, F. 199
Allen, S.E. 128
Antosiewicz, D.M. 65
Arnon, D.I. 443
Arroyo, M.T.K. 518, 520
Arulsekar, S. 457
Asada, K. 311, 493
Ashri, A. 346
Ayre, D.J. 523

Baker, E.A. 407
Barnes, J.D. 301
Bartlett, G.R. 153
Baum, S. 589, 596, 597
Bawa, K.S. 523
Baxter, B.J.M. 116
Berrie, A.M.M. 188
Beutler, H. 106
Bickoff, E.M. 368
Bjorn, L.O. 153, 372
Bligh, E.G. 153
Bormann, F.H. 126
Bors, W. 420
Boyer, J.S. 162
Bradford, M.M. 312, 419, 457, 486
Brar, G.S. 346
Briantais, J.M. 164
Brown, N.A.C. 116
Brundrett, M.C. 564, 565
Burke, J.J. 252

Caldwell, M.M. 6, 34
Cape, J.N. 126
Chappelka, A.H. 161
Charles-Edwards, D.A. 561
Chatterji, U.N. 346
Cheeseman, J.M. 163
Chen, G.-X. 311
Ching, T.M. 340
Chongpraditnum, P. 492
Chua, N.H. 29
Clarkson, D.T. 571
Cleland, R.E. 135, 432
Clemens, J. 107
Clijsters, H. 174
Cordero R.E. 39
Cornic, G. 164
Crawford, R.M.M. 105, 111
Crutzen, P.A. 178
Currier, H.B. 396
Cutler, D.F. 599

Dalton, F.N. 2
Davidson, S.R. 164
Davies, C.R. 33
Davies, D.D. 108
Davies, E. 29
Davis, B.J. 487
De Vos, R.C.H. 179
Deans, J.D. 134, 146
DeHayes, D.H. 147
Deleens, E. 196
Derieux, M. 196
Dickenson, N.M. 471
Dickson, R.E. 35
Dodds, J.H. 589
Donoso, C. 518
Drake, B.G. 339
Drolet, G. 420
Duysons, M.E. 46
Dyer, W.J. 153

Eaglesham, A.R.J. 498
Eamus, D. 134, 135
Edwards, N.T. 397
Einhellig, F.A. 323
Eissenstat, D.M. 6
Ekanayake, I.J. 5
Eleftheriou, E.P. 211
Eliasson, L. 310
Essery, C.I. 304

Fahn, A. 599
Farquahar, G.D. 333, 355
Ferguson, D.L. 252
Fernandez-Maculet, J.C. 229
Fink, S. 212
Förstner, U. 223
Fowler, D. 126
Fowler, D.B. 33
Francis, C.M. 105
Francis, R. 502
Frankland, B. 191
French, R.C. 119
Friedland, A.J. 134
Fukada, H. 588
Fyson, A. 284

Gausman, H.W. 339
Gepstein, S. 228, 231
Giannopolitis, C.N. 488
Gill, S.S. 310
Gladish, D.K. 589
Godzik, B. 57
Goyal, A. 181
Graham, J.H. 502
Green. A.E.S. 153
Guilizzoni, P. 216
Gunckel, J.E. 39
Günthard-Goerg, S. 212
Guy, C.L. 29

Haas, K. 401, 405
Hadley, E.B. 39

Hale, M.G. 252
Harley, J.L. 296
Harman, G.E. 119
Hart, W.J. 188
Hattemer-Frey, H.A. 389
Hauser, M.-T. 72
Hayes, P. 279
Heath, R.L. 164
Hildebrandt, A.C. 84
Hoagland, D.I. 442
Huang, B. 599
Huber, S.C. 357
Hunt, G.M. 407
Hutchinson, T.C. 471
Hutlunen, S. 202

Jackson, S.M. 564
Jacobson, J.S. 126, 133, 134, 140, 146
Jarvis, P.G. 164
Jeffree, C.E. 135
Jensen, K.F. 161

Kabata-Pendias, A. 480
Kacperska, A. 232
Kahn, S.R. 66, 346
Kanematsu, S. 493
Kendrick, B. 564
Kerfourn, C. 407
Klepper, B. 194
Kochba, J. 456
Komanine, A. 589
Kozlowski, T.T. 301
Kramer, P.J. 301
Kroemer, K. 563
Kubacka-Zebalska, M. 232
Kucey, R.M.N. 293
Kurth, E. 598

L'Hirondelle, S. 134
Laemmli, U.K. 73
Laine, K. 202
Laisk, A. 163
Lamont, B.B. 373
Larsson, C.M. 179
Lauer, M.J. 162
Laurence, J.A. 126
Leather, G.R. 323
Leith, I.D. 125, 128, 131, 133
Lien, S. 179
Lookhart, G.L. 363
Lynch, D.H. 280

Mackinney, G. 436
MacLeod, R.D. 198
MacQueen, K.F. 33
Mallick, N. 178
Marginetti, G.V. 153
Marshall, D.R. 105
Martin, J.H. 179
Martin, R.C. 498, 499, 503
Masters, B. 311
Mathews, D.J. 279
Matyssek, R. 161
McCully, M.J. 588
McKee, K.L. 340
McManmon, M. 111
Melati, M.R. 211
Mendelssohn, I.A. 340
Michel, B.E. 188, 428
Miller, M.W. 40, 379
Miller, W.M. 40, 379
Millhollen, E.P. 293
Morison, J.I.L. 164
Morris, J.T. 338
Morse, A.P. 304
Mott, K.A. 162
Müller, E. 202
Murashige, T. 466
Murphy, J.B. 243
Murphy, T.M. 153, 372
Murray, M.B. 134, 135

Naftolen, F. 363
Naylor, A.W. 252
Negbi, M. 94
Nehra, N.S. 457
Nihlgard, B. 134
Nobel, P.S. 252, 359, 599
Norby, R.J. 164

O'Brien, T.P. 588
O'Farell, P.H. 487
O'Neill, E.G. 164
Obroucheva, N.V. 94, 101, 102
Olsson, T. 179
Orcutt, D.M. 252
Osmond, C.B. 164
Outridge, P.M. 471

Palevitch, D. 346
Pang, P.C. 293
Parfitt, D.E. 457
Paul, E.A. 293
Peacoche, A.R. 387
Peeler, T.C. 252
Peet, M.M. 252
Pendias, P. 480
Percy, K. 126, 134
Perkins, T. 147
Perumalla, C.J. 564, 571
Peterson, C.A. 564, 571
Peverly, J.H. 224
Pinto, M.C. 311
Poss, J.A. 2

Prasad, S.M. 179, 181
Predieri, S. 152
Preger, R. 228, 231
Prior, S.A. 358
Pujadas, M. 301

Rai, L.C. 178, 179, 181
Raizada, M. 179
Rashid, A. 66
Ratajczak, L. 487
Read, D.J. 502
Reader, R.J. 6
Rentschler, I. 401, 405
Ries, K. 488
Riveros, M. 518, 520
Robards, A.W. 564
Roberts, B.R. 161, 164
Robertson, J.M. 432
Rogers, H.H. 356, 358
Romani, R.J. 76
Rost, T.L. 589, 596, 597, 599
Roy, S. 177
Ruiz, T. 518

Sapek, A. 57, 58
Sax, K. 379, 380
Scalet, M. 419
Schenk, R.U. 84
Scholander, P.F. 162
Scialabba, A. 211
Scopel, A.L. 191
Serrato Valenti, G. 598
Shaer, Y.A. 161, 162, 163, 164
Sheppard, L.J. 132, 140, 147
Sheppard, M.I. 33
Shuster, A.M. 29
Singer, S.J. 51
Singh, J.B. 179
Singh, T.N. 85
Skoog, F. 466
Slabnik, E. 461
Smith, D.L. 280
Smith, R.C. 177, 178
Smith, S.E. 296
Sparrow, A.H. 38
Specht, R.L. 116
Spiegel-Roy, P. 456
Sprent, J.I. 284
Spurr, A. 202
Stierlin, H.R. 202
Stiles, F.G. 520
Strain, B.R. 357
Strogonov, B.P. 589, 598
Stutte, C.A. 243
Sugiyama, M. 589
Sugiyama, T. 29
Sutinen, M.L. 146, 147

Taguchi, Y. 387,380
Tamm, C. 134
Taylor, G.E. Jr. 126
Taylor, H.M. 254
Taylorson, R. 191
Teer, J.S. 252
Tolbert, N.E. 181
Tolley, L.C. 357
Torrey, J.G. 588, 589
Towbin, H. 29
Travis, C.C. 389
Trewavas, A.J. 432
Trusler, A.E. 115
Turner, A.P. 471
Turner, N.C. 373
Tykarska, T. 94

Ursino, D.J. 39, 40
Uslar, P. 520
Ustin, S.L. 300

Valenta, P. 215
Van Assche, F. 174
Van Bavel, C.H.M. 161, 162, 163, 164
Van Kessel, C. 502
Vejsadova, H. 295
Vinvent, W.F. 177
Virtanen, A.I. 498
Von Cammerer, S. 333, 355
Vu, J.C.V. 458

Walker, R.R. 564
Wareing, P.F. 114
Weaver, J.E. 2,5
Weber, J.A. 162, 163
Weiss, E.A. 346
Wesson, G. 114
Wetmore, C.M. 260, 261, 262
Whelan, R.J. 523
Whitten, P.L. 363
Wiklander, G. 134
Wilkins, D.A. 58
Williams, L.E. 293
Willison, J.H.M. 140
Wilson, C.A. 564
Wilson, P.W. 498, 502
Wink, M. 72
Winter, K. 356, 357
Witkowski, E.T.F. 373
Wood, T. 126
Woodwell, G.M. 39
Wu, L. 61
Wullschleger, S.D. 164
Wyss, O. 498, 502

Yang, S.F. 229

Zhang, M.I.N. 140

SUBJECT INDEX

^{14}C-toluene
Experimental method to measure gaseous uptake of, by foliage 389
^{54}Mn
and ^{65}Zn applied on foliage and bark surfaces of balsam fir [*Abies balsamea* (L.) Mill.] seedlings; Uptake and translocation of 475
^{65}Zn
applied on foliage and bark surfaces of balsam fir [*Abies balsamea* (L.) Mill.] seedlings; Uptake and translocation of ^{54}Mn and 475
2,4,5-trichlorophenoxyacetic acid
Studies on the mode of action of the herbicidal effect of, on germinating Norway spruce 309
Abies balsamea (L.)
Uptake and translocation of ^{54}Mn and ^{65}Zn applied on foliage and bark surfaces of balsam fir [ ] seedlings 475
abscisic acid
and osmotic potential; effect of; Seed germination and seedling growth in a wilty mutant of sunflower (*Helianthus annuus* L.): 427
Association of high-temperature injury with increased sensitivity of photosynthesis to, in wheat 441
Acer pseudoplatanus L.
(sycamore) callus cell lines; Induction of zinc and nickel resistance in 465
acid mist
Frost hardiness of Norway spruce treated with. Evaluation of the electrolyte leakage rate technique 139
acid mist injury
to red spruce; Potential mechanism of 125
acid rain, simulated
Peroxidase activity and polyamine changes in response to ozone and, in Aleppo pine needles 417
Activity
of sucrose metabolism enzymes in glycerol-grown suspension cultures of sweet orange (*Citrus sinensis* L. Osbeck). 455
adverse effects
Methods for reducing the, of temperature stress on plants: a review 251
Aleppo pine needles
Peroxidase activity and polyamine changes in response to ozone and simulated acid rain in 417
Alnus firma
Interactive effects of CO_2 enrichment and drought stress on gas exchange and water-use efficiency in 353
Anabaena doliolum
Interactive effects of UV-B and copper on photosynthetic activity of the cyanobacterium 177
Anacystis nidulans
Inhibition of PS II activity by copper and its effect on spectral properties on intact cells in 435
anaerobic metabolism
of *Momordica charantia*; Effect of flood stress on morphology and 105
anaerobiosis
or osmoticum imbibition; Phytochrome-mediated germination control of *Hygrophila auriculata* seeds following dry storage augmented by temperature pulse, hormones, ... 187
apical unbranched zone
of maize axile roots: its relationship to root elongation rate; Length of the 193
Association
of high-temperature injury with increased sensitivity of photosynthesis to abscisic acid in wheat 441
Avena sativa L.
The effect of light quality on ethylene production in leaves of oat seedlings ( ) 227
axile roots, maize
Length of the apical unbranched zone of; its relationship to root elongation rate 193
β-pinene
disrupts turgor of juvenile *Picea abies* needle tips; Fumigation with 235
balsam fir [*Abies balsamea* (L.) Mill.]
seedlings; Uptake and translocation of ^{54}Mn and ^{65}Zn applied on foliage and bark surfaces of 475
bark surfaces
of balsam fir [*Abies balsamea* (L.) Mill.] seedlings; Uptake and translocation of ^{54}Mn and ^{65}Zn applied on foliage and ... 475
barley roots
Effects of low-dose γ - irradiation on the cell cycle duration of 379
beech trees (*Fagus sylvatica* L.)
Morpho-anatomical alterations in leaves collected from; in conditions of natural water stress. 201

biomass partitioning
in *Helianthus annuus*; Effects of gamma radiation on stem diameter growth, carbon gain and 33
Biscutella laevigata
The relationships between constitutional and inducible Pb-tolerance and tolerance to mineral deficits in *Silene inflata* and 55
Brassica napus L
embryos; Visualization of the radicle within the axis of developing and germinating..... 93
Cadmium
toxicity and tolerance in vascular plants 525
callus cell lines
Induction of zinc and nickel resistance in *Acer pseudoplatanus* L. (sycamore) 465
callus lines
of *Dactylis glomerata* L.; Growth, proline accumulation and water relations of NaCl-selected and non-selected 83
carbon dioxide
Stomatal resistance and the ratio of intercellular to ambient; in container-grown yellow-poplar seedlings exposed to chronic ozone fumigation and water stress 161
carbon gain
and biomass partitioning in *Helianthus annuus;* Effects of gamma radiation on stem diameter growth..... 33
carboxylase, phosphoenolpyruvate
in citrus; Cold-induced changes in ribulose 1,5-bisphosphate carboxylase-oxygenase and phosphoenolpyruvate carboxylase 25
carboxylase-oxygenase, ribulose 1,5-bisphosphate
and phosphoenolpyruvate carboxylase in citrus; Cold-induced changes in..... 25
Carnegiea gigantea
Epidermal browning of saguaro cacti ( ): relative health and rates of surficial injuries of a population..... 557
cation concentrations
Relative importance of exchangeable and soil solution; to the distribution of vascular plants. 9
Cd
uptake in *Potamogeton pectinatus* in relation to salinity; A tentative model of..... 215
cell cycle duration
of barley roots; Effects of low-dose γ - irradiation on the 379
Chelidonium majus
γ -Irradiation damage to leaf vacuole membranes of 71
chemical characteristics
Epi- and intracuticular waxes: their separation, and role in cuticular permeability [*in French, with English abstract*]..... 399
chemical element concentrations
Abnormal, in lichens of Isle Royale National Park 259
Citrus sinensis L. Osbeck
Activity of sucrose metabolism enzymes in glycerol-grown suspension cultures of sweet orange ( ). 455
citrus
Cold-induced changes in ribulose 1,5-bisphosphate carboxylase-oxygenase and phosphoenolpyruvate carboxylase in 25
CO_2 enrichment
Interactive effects of, and drought stress on gas exchange and water-use efficiency in *Alnus firma*. 353
Competition
among shoreline plants: responses to watershed liming 507
concentrations
Phenolic acid and condensed tannin, of six cotton genotypes 241
concentrations, chemical element
Abnormal, in lichens of Isle Royale National Park 259
condensed tannin
concentrations of six cotton genotypes; Phenolic acid and 241
constitutional and inducible Pb-tolerance
and tolerance to mineral deficits in *Biscutella laevigata* and *Silene inflata*; The relationships between 55
continuum
The seed-fungus-root; A review..... 113
control of relative humidity
in a flow-through environmental chamber; A simple and inexpensive 441
control, germination
Phytochrome-mediated; of *Hygrophila auriculata* seeds following dry storage augmented by temperature pulse, hormones, anaerobiosis or osmoticum imbibition 187

copper
Interactive effects of UV-B and, on photosynthetic activity of the cyanobacterium *Anabaena doliolum* 177
Inhibition of PS II activity by, and its effect on spectral properties on intact cells in *Anacystis nidulans* 435
copper stress
Responses of maize (*Zea mays* L.) plants to; - I. Growth, mineral content and ultrastructure of roots. 167
corn (*Zea mays* L. CV Co-Op S259)
Factors affecting nitrogen benefit from soybean [*Glycine max* (L.) Merr. CV Lee] to interplanted 497
correlation
of primary root growth and tracheary element size and distance from the tip in cotton seedlings grown under salinity; On the 588
cotton
genotypes; Phenolic acid and condensed tannin concentrations of six 241
seedling roots; Salinity accelerates endodermal development and induces an exodermis in 563
cotton seedlings
grown under salinity; On the correlation of primary root growth and tracheary element size and distance from the tip in 588
CU:ZN-superoxide dismutase, cytosolic
Stress-stimulated protein of lupin roots: the stress-stimulated 16 kDa polypeptide from lupin roots has properties of .. 485
cultures, suspension
of sweet orange (*Citrus sinensis* L. Osbeck); Activity of sucrose metabolism enzymes in glycerol-grown 455
cuticular permeability
Epi- and intracuticular waxes: their separation, chemical characteristics and role in [*in French, with English abstract*] .. 399
cyanobacterium
Anabaena doliolum; Interactive effects of UV-B and copper on photosynthetic activity of the 177
cytosolic CU:ZN-superoxide dismutase
Stress-stimulated protein of lupin roots: the stress-stimulated 16 kDa polypeptide from lupin roots has properties of .. 485
Dactylis glomerata L.
Growth, proline accumulation and water relations of NaCl-selected and non-selected callus lines of 83
damage
γ-Irradiation; to leaf vacuole membranes of *Chelidonium majus*. 71
developing
and germinating *Brassica napus* L. embryos; Visualization of the radicle within the axis of 93
development and interactions
with the nitrogen fixing symbiosis; Root-zone temperature and soybean [*Glycine max*. (L.) Merr.] vesicular-arbuscular mycorrhizae: 287
development, endodermal
Salinity accelerates, and induces an exodermis in cotton seedling roots 563
dismutase, cytosolic CU:ZN-superoxide
Stress-stimulated protein of lupin roots: the stress-stimulated 16 kDa polypeptide from lupin roots has properties of .. 485
distribution
of vascular plants; Relative importance of exchangeable and soil solution cation concentrations to the 9
distributions, vertical
of phytoplankton in marine water columns; Novel method to determine 547
drought stress
Interactive effects of CO_2 enrichment and, on gas exchange and water-use efficiency in *Alnus firma* 353
dry storage
augmented by temperature pulse, hormones, anaerobiosis or osmoticum imbibition; Phytochrome-mediated germination control of *Hygrophila auriculata* seeds following 187
electrolyte
leakage rate technique; Evaluation of the. Frost hardiness of Norway spruce treated with acid mist. 139
element, chemical
Abnormal, concentrations in lichens of Isle Royale National Park 259
elongation, stem
Monthly; for *Stenocereus queretaroensis*: relationships to environmental conditions, net CO_2 uptake and seasonal variations in sugar content 17
embryos;
Visualization of the radicle within the axis of developing and germinating *Brassica napus* L. 93
endodermal development
Salinity accelerates, and induces an exodermis in cotton seedling roots 563
environmental chamber, flow-through
A simple and inexpensive control of relative humidity in a 441

environmental conditions
Monthly stem elongation for *Stenocereus queretaroensis*: relationships to net CO_2 uptake, seasonal variations in sugar content, and 17
enzymes, sucrose metabolism
in glycerol-grown suspension cultures of sweet orange (*Citrus sinensis* L. Osbeck); Activity of 455
Epi- and intracuticular waxes
: their separation, chemical characteristics and role in cuticular permeability [*in French, with English abstract*] 399
Epidermal browning
of saguaro cacti (*Carnegiea gigantea*): relative health and rates of surficial injuries of a population 557
ethylene evolution
in 'Doyenne d'Hiver' pear shoots grown *in vitro* under different photosynthetic photon fluxes; Influence of UV-B radiation on membrane lipid composition and 151
ethylene production
in leaves of oat seedlings (*Avena sativa* L.); The effect of light quality on 227
Exchangeable
and soil solution cation concentrations; Relative importance of; to the distribution of vascular plants. 9
exodermis
in cotton seedling roots; Salinity accelerates endodermal development and induces an 563
extracts, *Sesbania* seed
The effect of sesbanimide and, on germination and seedling growth of a number of plant species 321
Fagus sylvatica L.
Morpho-anatomical alterations in leaves collected from beech trees ( ) in conditions of natural water stress. 201
flood stress
Effect of; on morphology and anaerobic metabolism of *Momordica charantia* 105
flow-through environmental chamber
A simple and inexpensive control of relative humidity in a 441
foliage
Experimental method to measure gaseous uptake of ^{14}C-toluene by 389
and bark surfaces of balsam fir [*Abies balsamea* (L.) Mill.] seedlings; Uptake and translocation of ^{54}Mn and ^{65}Zn applied on 475
Frost hardiness
of Norway spruce treated with acid mist. Evaluation of the electrolyte leakage rate technique 139
fumigated, ozone
Mediterranean white pine seedlings; Reflectance assessment of summer 299
γ - irradiation
Effects of low-dose, on the cell cycle duration of barley roots 379
γ-Irradiation damage
to leaf vacuole membranes of *Chelidonium majus*. 71
gamma radiation, Effects of
on stem diameter growth, carbon gain and biomass partitioning in *Helianthus annuus* 33
gas exchange
and water-use efficiency in *Alnus firma;* Interactive effects of CO_2 enrichment and drought stress on 353
gaseous uptake
of ^{14}C-toluene by foliage; Experimental method to measure 389
genotypes, cotton
Phenolic acid and condensed tannin concentrations of six 241
germinating
Brassica napus L. embryos; Visualization of the radicle within the axis of developing and 93
germinating Norway spruce
Studies on the mode of action of the herbicidal effect of 2,4,5-trichlorophenoxyacetic acid on 309
germination
and seedling growth of a number of plant species; The effect of sesbanimide and *Sesbania* seed extracts on 321
, root length and shoot length of sesame (*Sesamum indicum* L.); Effects of temperature and presoaking on 345
germination control
Phytochrome-mediated; of *Hygrophila auriculata* seeds following dry storage augmented by temperature pulse, hormones, anaerobiosis or osmoticum imbibition 187
germination, seed
and seedling growth in a wilty mutant of sunflower (*Helianthus annuus* L.): effect of abscisic acid and osmotic potential. 427
glycerol
-grown suspension cultures of sweet orange (*Citrus sinensis* L. Osbeck); Activity of sucrose metabolism enzymes in .. 455

Glycine max (L.) Merr. CV Lee
Factors affecting nitrogen benefit from soybean [ ] to interplanted corn [*Zea mays* L. CV Co-Op S259) 497
Glycine max. (L.) Merr.
Impact of low root temperatures in soybean [ ] on nodulation and nitrogen fixation 279
Growth
proline accumulation and water relations of NaCl-selected and non-selected callus lines of *Dactylis glomerata* L. 83
mineral content and ultrastructure of roots. Responses of maize (*Zea mays* L.) plants to copper stress - I. 167
growth rates, leaf
in *Phlomis fruticosa* L. seedlings; Perturbations of the normal UV-B radiation environment alter 371
growth, primary root
and tracheary element size and distance from the tip in cotton seedlings grown under salinity; On the correlation of 588
growth, seedling
in a wilty mutant of sunflower (*Helianthus annuus* L.): effect of abscisic acid and osmotic potential; Seed germination and 427
Gutierrezia sarothrae
Water acquisition and rooting characteristics in northern and southern populations of 1
hardiness, Frost
of Norway spruce treated with acid mist. Evaluation of the electrolyte leakage rate technique 139
health, relative
and rates of surficial injuries of a population; Epidermal browning of saguaro cacti (*Carnegiea gigantea*): 557
Helianthus annuus
Effects of gamma radiation on stem diameter growth, carbon gain and biomass partitioning in 33
Helianthus annuus L.
Seed germination and seedling growth in a wilty mutant of sunflower ( ): effect of abscisic acid and osmotic potential. 427
herbicidal effect
of 2,4,5-trichlorophenoxyacetic acid on germinating Norway spruce; Studies on the mode of action of the 309
high temperature
during maturation; Functional and ultrastructural injury to photosynthesis in wheat by 43
high-temperature injury
Association of, with increased sensitivity of photosynthesis to abscisic acid in wheat 441
hormones
, anaerobiosis or osmoticum imbibition; Phytochrome-mediated germination control of *Hygrophila auriculata* seeds following dry storage augmented by temperature pulse, ... 187
humidity
A simple and inexpensive control of relative, in a flow-through environmental chamber 441
Hygrophila auriculata
seeds; Phytochrome-mediated germination control of, following dry storage augmented by temperature pulse, hormones, anaerobiosis or osmoticum imbibition 187
indicators
of sub-lethal nutrient stress in the salt marsh grass, *Spartina patens;* A comparison of 331
Induction
of phytoestrogen production in *Medicago sativa* leaves by irrigation with sewage water 363
of zinc and nickel resistance in *Acer pseudoplatanus* L. (sycamore) callus cell lines. 465
Infochemicals:
The seed-fungus-root continuum. A review. 113
Inhibition
of PS II activity by copper and its effect on spectral properties on intact cells in *Anacystis nidulans* 435
injuries, surficial, rates of
a population; Epidermal browning of saguaro cacti (*Carnegiea gigantea*): relative health and 557
injury
Functional and ultrastructural; to photosynthesis in wheat by high temperature during maturation. 43
injury, acid mist
Potential mechanisms of; to red spruce 125
injury, high-temperature
Association of, with increased sensitivity of photosynthesis to abscisic acid in wheat 441
Interactive effects
of UV-B and copper on photosynthetic activity of the cyanobacterium *Anabaena doliolum* 177
of CO_2 enrichment and drought stress on gas exchange and water-use efficiency in *Alnus firma* 353
irradiation, γ -
Effects of low-dose, on the cell cycle duration of barley roots 379

irrigation
with sewage water; Induction of phytoestrogen production in *Medicago sativa* leaves by ... 363
Isle Royale National Park
Abnormal chemical element concentrations in lichens of ... 259
juvenile
Picea abies needle tips; Fumigation with β-pinene disrupts turgor of ... 235
leaf growth rates
in *Phlomis fruticosa* L. seedlings; Perturbations of the normal UV-B radiation environment alter ... 371
leaf vacuole membranes
γ-Irradiation damage to, of *Chelidonium majus*. ... 71
leaves
collected from beech trees (*Fagus sylvatica* L.) in conditions of natural water stress; Morpho-anatomical alterations in ... 201
of oat seedlings (*Avena sativa* L.); The effect of light quality on ethylene production in ... 227
leaves, *Medicago sativa*
Induction of phytoestrogen production in, by irrigation with sewage water ... 363
lichens
of Isle Royale National Park; Abnormal chemical element concentrations in ... 259
light quality
The effect of; on ethylene production in leaves of oat seedlings (*Avena sativa* L.) ... 227
liming, watershed
Competition among shoreline plants: responses to ... 507
lipid composition, membrane
and ethylene evolution in 'Doyenne d'Hiver' pear shoots grown *in vitro* under different photosynthetic photon fluxes; Influence of UV-B radiation on ... 151
lupin roots
Stress-stimulated protein of: the stress-stimulated 16 kDa polypeptide from lupin roots has properties of cytosolic CU:ZN-superoxide dismutase ... 485
maize
(*Zea mays* L.) plants; Responses of, to copper stress - I. Growth, mineral content and ultrastructure of roots ... 167
maize axile roots
Length of the apical unbranched zone of; its relationship to root elongation rate ... 193
marine water columns
Novel method to determine vertical distributions of phytoplankton in ... 547
maturation
Functional and ultrastructural injury to photosynthesis in wheat by high temperature during ... 43
mechanism, Potential
of acid mist injury to red spruce. ... 125
Medicago sativa
leaves, Induction of phytoestrogen production in, by irrigation with sewage water ... 363
Mediterranean white pine
seedlings; Reflectance assessment of summer ozone fumigated ... 299
membrane
lipid composition and ethylene evolution in 'Doyenne d'Hiver' pear shoots grown *in vitro* under different photosynthetic photon fluxes; Influence of UV-B radiation on ... 151
membranes, leaf vacuole
of *Chelidonium majus;* γ-Irradiation damage to ... 71
metabolism, anaerobic
of *Momordica charantia*; Effect of flood stress on morphology and ... 105
method, Experimental
to measure gaseous uptake of ^{14}C-toluene by foliage ... 389
method, Novel
to determine vertical distributions of phytoplankton in marine water columns ... 547
Methods
for reducing the adverse effects of temperature stress on plants: a review ... 251
mineral content
and ultrastructure of roots. Responses of maize (*Zea mays* L.) plants to copper stress - I. Growth, ... 167
mineral deficits
tolerance to; The relationships between constitutional and inducible Pb-tolerance and, in *Biscutella laevigata* and *Silene inflata* ... 55
mist, acid
Frost hardiness of Norway spruce treated with. Evaluation of the electrolyte leakage rate technique ... 139

mode of action
of the herbicidal effect of 2,4,5-trichlorophenoxyacetic acid on germinating Norway spruce; Studies on the 309
model
of Cd uptake in *Potamogeton pectinatus* in relation to salinity; A tentative 215
Momordica charantia
Effect of flood stress on morphology and anaerobic metabolism of 105
Morpho-anatomical alterations
in leaves collected from beech trees (*Fagus sylvatica* L.) in conditions of natural water stress 201
morphology
and anaerobic metabolism of *Momordica charantia*; Effect of flood stress on 105
mycorrhizae, vesicular-arbuscular
: development and interactions with the nitrogen fixing symbiosis; Root-zone temperature and soybean [*Glycine max.* (L.) Merr.] 287
NaCl-selected and non-selected callus
lines of *Dactylis glomerata* L.; Growth, proline accumulation and water relations of 83
needle tips
Fumigation with β-pinene disrupts turgor of juvenile *Picea abies* 235
needles, Aleppo pine
Peroxidase activity and polyamine changes in response to ozone and simulated acid rain in 417
net CO_2 uptake
Monthly stem elongation for *Stenocereus queretaroensis*: relationships to environmental conditions, seasonal variations in sugar content, and 17
nickel
resistance in *Acer pseudoplatanus* L. (sycamore) callus cell lines; Induction of zinc and 465
nitrogen benefit
from soybean [*Glycine max* (L.) Merr. CV Lee] to interplanted corn [*Zea mays* L. CV Co-Op S259); Factors affecting 497
nitrogen fixation
Impact of low root temperatures in soybean [*Glycine max.* (L.) Merr.] on nodulation and 279
nitrogen fixing symbiosis
Root-zone temperature and soybean [*Glycine max.* (L.) Merr.] vesicular-arbuscular mycorrhizae: development and interactions with the 287
nodulation
and nitrogen fixation; Impact of low root temperatures in soybean [*Glycine max.* (L.) Merr.] on 279
Norway spruce
treated with acid mist; Frost hardiness of. Evaluation of the electrolyte leakage rate technique 139
Norway spruce, germinating
Studies on the mode of action of the herbicidal effect of 2,4,5-trichlorophenoxyacetic acid on 309
Nothofagus
Reproductive biology in species of the genus 519
nutrient stress, sub-lethal
A comparison of indicators of, in the salt marsh grass, *Spartina patens* 331
oat seedlings (*Avena sativa* L.)
The effect of light quality on ethylene production in leaves of 227
osmotic potential
and abscisic acid, effect of; Seed germination and seedling growth in a wilty mutant of sunflower (*Helianthus annuus* L.): 427
osmoticum imbibition
Phytochrome-mediated germination control of *Hygrophila auriculata* seeds following dry storage augmented by temperature pulse, hormones, anaerobiosis or 187
ozone
fumigated Mediterranean white pine seedlings; Reflectance assessment of summer 299
and simulated acid rain in Aleppo pine needles; Peroxidase activity and polyamine changes in response to 417
ozone fumigation
and water stress; Stomatal resistance and the ratio of intercellular to ambient carbon dioxide in container-grown yellow-poplar seedlings exposed to chronic 161
Pb-tolerance
constitutional and inducible, and tolerance to mineral deficits in *Biscutella laevigata* and *Silene inflata*; The relationships between 55
pear shoots
grown *in vitro* under different photosynthetic photon fluxes; Influence of UV-B radiation on membrane lipid composition and ethylene evolution in 'Doyenne d'Hiver' 151

permeability, cuticular
Epi- and intracuticular waxes: their separation, chemical characteristics and, [*in French, with English abstract*] 399
Peroxidase activity
and polyamine changes in response to ozone and simulated acid rain in Aleppo pine needles 417
Perturbations
of the normal UV-B radiation environment alter leaf growth rates in *Phlomis fruticosa* L. seedlings. 371
Phenolic acid
and condensed tannin concentrations of six cotton genotypes 241
Phlomis fruticosa L.
seedlings; Perturbations of the normal UV-B radiation environment alter leaf growth rates in 371
phosphoenolpyruvate carboxylase
in citrus; Cold-induced changes in ribulose 1,5-bisphosphate carboxylase-oxygenase and 25
photon fluxes, photosynthetic
Influence of UV-B radiation on membrane lipid composition and ethylene evolution in 'Doyenne d'Hiver' pear shoots grown *in vitro* under different 151
photosynthesis
Functional and ultrastructural injury to, in wheat by high temperature during maturation 43
photosynthesis, sensitivity of
to abscisic acid in wheat; Association of high-temperature injury with increased 441
photosynthetic activity
of the cyanobacterium *Anabaena doliolum;* Interactive effects of UV-B and copper on 177
photosynthetic photon fluxes
Influence of UV-B radiation on membrane lipid composition and ethylene evolution in 'Doyenne d'Hiver' pear shoots grown *in vitro* under different 151
Phytochrome-mediated
germination control of *Hygrophila auriculata* seeds following dry storage augmented by temperature pulse, hormones, anaerobiosis or osmoticum imbibition 187
phytoestrogen production,
Induction of, in *Medicago sativa* leaves by irrigation with sewage water 363
phytoplankton
in marine water columns; Novel method to determine vertical distributions of 547
Picea abies
needle tips; Fumigation with β-pinene disrupts turgor of juvenile 235
pine needles, Aleppo
Peroxidase activity and polyamine changes in response to ozone and simulated acid rain in 417
pinene, β-
disrupts turgor of juvenile *Picea abies* needle tips; Fumigation with 235
polyamine changes
Peroxidase activity and, in response to ozone and simulated acid rain in Aleppo pine needles 417
polypeptide, 16 kDa
from lupin roots has properties of cytosolic CU:ZN-superoxide dismutase; Stress-stimulated protein of lupin roots: the stress-stimulated 485
population
Epidermal browning of saguaro cacti (*Carnegiea gigantea*): relative health and rates of surficial injuries of a 557
populations,
northern and southern, of *Gutierrezia sarothrae;* Water acquisition and rooting characteristics in 1
Potamogeton pectinatus
A tentative model of Cd uptake in; in relation to salinity 215
Potential mechanism
of acid mist injury to red spruce. 125
presoaking
Effects of temperature and, on germination, root length and shoot length of sesame (*Sesamum indicum* L.) 345
primary root growth
and tracheary element size and distance from the tip in cotton seedlings grown under salinity; On the correlation of .. 588
proline accumulation
and water relations of NaCl-selected and non-selected callus lines of *Dactylis glomerata* L; Growth, ... 83
protein, Stress-stimulated
of lupin roots: the stress-stimulated 16 kDa polypeptide from lupin roots has properties of cytosolic CU:ZN-superoxide dismutase 485
PS II activity
Inhibition of, by copper and its effect on spectral properties on intact cells in *Anacystis nidulans.* 435

radiation environment
Perturbations of the normal, alter leaf growth rates in *Phlomis fruticosa* L. seedlings. 371
radiation, UV-B
Influence of; on membrane lipid composition and ethylene evolution in 'Doyenne d'Hiver' pear shoots grown *in vitro* under different photosynthetic photon fluxes. 151
radicle
Visualization of the; within the axis of developing and germinating *Brassica napus* L. embryos. 93
red spruce
Potential mechanism of acid mist injury to. 125
Reflectance
assessment of summer ozone fumigated Mediterranean white pine seedlings. 299
relative humidity, control of
A simple and inexpensive, in a flow-through environmental chamber 441
Reproductive biology
in species of the genus *Nothofagus*. 519
resistance, Stomatal
and the ratio of intercellular to ambient carbon dioxide in container-grown yellow-poplar seedlings exposed to chronic ozone fumigation and water stress 161
responses
to watershed liming; Competition among shoreline plants: 507
Review
Infochemicals: The seed-fungus-root continuum. 113
review
Methods for reducing the adverse effects of temperature stress on plants: a 251
ribulose 1,5-bisphosphate carboxylase-oxygenase
Cold-induced changes in , and phosphoenolpyruvate carboxylase in citrus 25
root elongation rate
Length of the apical unbranched zone of maize axile roots: its relationship to 193
root growth, primary
and tracheary element size and distance from the tip in cotton seedlings grown under salinity; On the correlation of .. 588
root length
Effects of temperature and presoaking on germination, shoot length and, of sesame (*Sesamum indicum* L.) 345
root temperatures
Impact of, in soybean [*Glycine max.* (L.) Merr.] on nodulation and nitrogen fixation 279
Root-zone temperature
and soybean [*Glycine max.* (L.) Merr.] vesicular-arbuscular mycorrhizae: development and interactions with the nitrogen fixing symbiosis. 287
rooting characteristics
Water acquisition and, in northern and southern populations of *Gutierrezia sarothrae.* 1
roots
Responses of maize (*Zea mays* L.) plants to copper stress - I. Growth, mineral content and ultrastructure of 167
roots, barley
Effects of low-dose γ - irradiation on the cell cycle duration of 379
roots, cotton seedling
Salinity accelerates endodermal development and induces an exodermis in 563
roots, lupin
Stress-stimulated protein of: the stress-stimulated 16 kDa polypeptide from lupin roots has properties of cytosolic CU:ZN-superoxide dismutase 485
roots, maize, axile
Length of the apical unbranched zone of; its relationship to root elongation rate. 193
saguaro cacti (*Carnegiea gigantea*)
Epidermal browning of: relative health and rates of surficial injuries of a population 557
Salinity
accelerates endodermal development and induces an exodermis in cotton seedling roots 563
salinity
A tentative model of Cd uptake in *Potamogeton pectinatus* in relation to 215
On the correlation of primary root growth and tracheary element size and distance from the tip in cotton seedlings grown under 588
salt marsh grass
Spartina patens; A comparison of indicators of sub-lethal nutrient stress in the 331

seasonal variations in sugar content
Monthly stem elongation for *Stenocereus queretaroensis*: relationships to environmental conditions, net CO_2 uptake, and..... 17
Seed germination
and seedling growth in a wilty mutant of sunflower (*Helianthus annuus* L.): effect of abscisic acid and osmotic potential... 427
seed-fungus-root continuum
Infochemicals; a review..... 113
seedling
roots; Salinity accelerates endodermal development and induces an exodermis in cotton 563
seedling growth
in a wilty mutant of sunflower (*Helianthus annuus* L.): effect of abscisic acid and osmotic potential; Seed germination and..... 427
seedling growth, germination and
of a number of plant species; The effect of sesbanimide and *Sesbania* seed extracts on 321
seedlings, balsam fir [*Abies balsamea* (L.) Mill.]
Uptake and translocation of ^{54}Mn and ^{65}Zn applied on foliage and bark surfaces of..... 475
seedlings, cotton
grown under salinity; On the correlation of primary root growth and tracheary element size and distance from the tip in 588
seedlings, Mediterranean white pine
Reflectance assessment of summer ozone fumigated..... 299
seedlings, oat (*Avena sativa* L.)
The effect of light quality on ethylene production in leaves of 227
seedlings, yellow-poplar
exposed to chronic ozone fumigation and water stress; Stomatal resistance and the ratio of intercellular to ambient carbon dioxide in container-grown 161
seeds, *Hygrophila auriculata*
Phytochrome-mediated germination control of, following dry storage augmented by temperature pulse, hormones, anaerobiosis or osmoticum imbibition..... 187
separation
, chemical characteristics and role in cuticular permeability; Epi- and intracuticular waxes: their [*in French, with English abstract*]..... 399
sesame (*Sesamum indicum* L.)
Effects of temperature and presoaking on germination, root length and shoot length of 345
Sesamum indicum L.
Effects of temperature and presoaking on germination, root length and shoot length of sesame ( )..... 345
Sesbania seed extracts
The effect of sesbanimide and, on germination and seedling growth of a number of plant species 321
sesbanimide, effect of
and *Sesbania* seed extracts on germination and seedling growth of a number of plant species; The 321
sewage water
Induction of phytoestrogen production in *Medicago sativa* leaves by irrigation with 363
shoot length
Effects of temperature and presoaking on germination, root length and, of sesame (*Sesamum indicum* L.)..... 345
shoots, pear
grown *in vitro* under different photosynthetic photon fluxes; Influence of UV-B radiation on membrane lipid composition and ethylene evolution in 'Doyenne d'Hiver' 151
shoreline plants, Competition among
: responses to watershed liming..... 507
Silene inflata
The relationships between constitutional and inducible Pb-tolerance and tolerance to mineral deficits in *Biscutella laevigata* and 55
simulated acid rain
Peroxidase activity and polyamine changes in response to ozone and, in Aleppo pine needles..... 417
soil solution cation concentrations
Relative importance of exchangeable and; to the distribution of vascular plants..... 9
soybean [*Glycine max* (L.) Merr. CV Lee]
Factors affecting nitrogen benefit from, to interplanted corn [*Zea mays* L. CV Co-Op S259)..... 497
soybean [*Glycine max.* (L.) Merr.]
Impact of low root temperatures in, on nodulation and nitrogen fixation..... 279
vesicular-arbuscular mycorrhizae: development and interactions with the nitrogen fixing symbiosis; Root-zone temperature and..... 287

Spartina patens
A comparison of indicators of sub-lethal nutrient stress in the salt marsh grass, ... 331
species
of the genus *Nothofagus*; Reproductive biology in 519
spectral properties
on intact cells in *Anacystis nidulans*; Inhibition of PS II activity by copper and its effect on 435
spruce, germinating Norway
Studies on the mode of action of the herbicidal effect of 2,4,5-trichlorophenoxyacetic acid on 309
spruce, Norway
treated with acid mist; Frost hardiness of. Evaluation of the electrolyte leakage rate technique 139
spruce, red
Potential mechanism of acid mist injury to 125
stem diameter growth
carbon gain and biomass partitioning in *Helianthus annuus*; Effects of gamma radiation on 33
stem elongation
Monthly; for *Stenocereus queretaroensis*: relationships to environmental conditions, net CO_2 uptake and seasonal variations in sugar content 17
Stenocereus queretaroensis:
Monthly stem elongation for; relationships to environmental conditions, net CO_2 uptake and seasonal variations in sugar content 17
Stomatal resistance
and the ratio of intercellular to ambient carbon dioxide in container-grown yellow-poplar seedlings exposed to chronic ozone fumigation and water stress 161
stress, copper
Responses of maize (*Zea mays* L.) plants to; - I. Growth, mineral content and ultrastructure of roots. 167
stress, drought
Interactive effects of CO_2 enrichment and, on gas exchange and water-use efficiency in *Alnus firma*. 353
stress, flood
Effect of; on morphology and anaerobic metabolism of *Momordica charantia* 105
stress, sub-lethal nutrient
A comparison of indicators of, in the salt marsh grass, *Spartina patens* 331
stress, temperature
Methods for reducing the adverse effects of, on plants: a review. 251
stress, water
Stomatal resistance and the ratio of intercellular to ambient carbon dioxide in container-grown yellow-poplar seedlings exposed to chronic ozone fumigation and 161
Morpho-anatomical alterations in leaves collected from beech trees (*Fagus sylvatica* L.) in conditions of natural 201
Stress-stimulated protein
of lupin roots: the stress-stimulated 16 kDa polypeptide from lupin roots has properties of cytosolic CU:ZN-superoxide dismutase 485
sucrose metabolism enzymes
in glycerol-grown suspension cultures of sweet orange (*Citrus sinensis* L. Osbeck); Activity of 455
sugar content, seasonal variations in
Monthly stem elongation for *Stenocereus queretaroensis*: relationships to environmental conditions, net CO_2 uptake, and 17
sunflower (*Helianthus annuus* L.)
Seed germination and seedling growth in a wilty mutant of; effect of abscisic acid and osmotic potential. 427
superoxide dismutase, cytosolic CU:ZN-
Stress-stimulated protein of lupin roots: the stress-stimulated 16 kDa polypeptide from lupin roots has properties of 485
surficial injuries, rates of
a population; Epidermal browning of saguaro cacti (*Carnegiea gigantea*): relative health and 557
suspension cultures
of sweet orange (*Citrus sinensis* L. Osbeck); Activity of sucrose metabolism enzymes in glycerol-grown 455
sweet orange (*Citrus sinensis* L. Osbeck)
Activity of sucrose metabolism enzymes in glycerol-grown suspension cultures of 455
sycamore
Induction of zinc and nickel resistance in *Acer pseudoplatanus* L. ( ) callus cell lines. .....
symbiosis, nitrogen fixing
Root-zone temperature and soybean [*Glycine max.* (L.) Merr.] vesicular-arbuscular mycorrhizae: development and interactions with the 287
tannin, condensed
concentrations of six cotton genotypes; Phenolic acid and 241

technique, electrolyte leakage rate
Evaluation of the. Frost hardiness of Norway spruce treated with acid mist. 139
temperature
Effects of presoaking and, on germination, root length and shoot length of sesame (*Sesamum indicum* L.) 345
temperature pulse
hormones, anaerobiosis or osmoticum imbibition; Phytochrome-mediated germination control of *Hygrophila auriculata* seeds following dry storage augmented by 187
temperature stress
Methods for reducing the adverse effects of, on plants: a review. 251
temperature, Root-zone
and soybean [*Glycine max.* (L.) Merr.] vesicular-arbuscular mycorrhizae: development and interactions with the nitrogen fixing symbiosis. 287
temperatures, low
Impact of, in soybean [*Glycine max.* (L.) Merr.] on nodulation and nitrogen fixation 279
tolerance
Cadmium toxicity and, in vascular plants 525
tolerance to mineral deficits
in *Biscutella laevigata* and *Silene inflata*; The relationships between constitutional and inducible Pb-tolerance and 55
toluene, ^{14}C
Experimental method to measure gaseous uptake of, by foliage 389
toxicity
and tolerance, Cadmium, in vascular plants 525
tracheary element
size and distance from the tip in cotton seedlings grown under salinity; On the correlation of primary root growth and 588
translocation
of ^{54}Mn and ^{65}Zn applied on foliage and bark surfaces of balsam fir [*Abies balsamea* (L.) Mill.] seedlings; Uptake and 475
turgor
of juvenile *Picea abies* needle tips; Fumigation with β-pinene disrupts 235
ultrastructural injury, Functional and
to photosynthesis in wheat by high temperature during maturation. 43
ultrastructure
of roots. Responses of maize (*Zea mays* L.) plants to copper stress - I. Growth, mineral content and 167
unbranched zone
of maize axile roots: its relationship to root elongation rate; Length of the apical 193
Uptake
and translocation of ^{54}Mn and ^{65}Zn applied on foliage and bark surfaces of balsam fir [*Abies balsamea* (L.) Mill.] seedlings 475
uptake, Cd
in *Potamogeton pectinatus* in relation to salinity; A tentative model of 215
uptake, gaseous
of ^{14}C-toluene by foliage; Experimental method to measure 389
UV-B
Interactive effects of, and copper on photosynthetic activity of the cyanobacterium *Anabaena doliolum* 177
UV-B radiation
Influence of; on membrane lipid composition and ethylene evolution in 'Doyenne d'Hiver' pear shoots grown *in vitro* under different photosynthetic photon fluxes. 151
UV-B radiation environment
Perturbations of the normal, alter leaf growth rates in *Phlomis fruticosa* L. seedlings. 371
vacuole membranes, leaf
γ-Irradiation damage to, of *Chelidonium majus*. 71
vascular plants
Cadmium toxicity and tolerance in 525
vascular plants, distribution of
Relative importance of exchangeable and soil solution cation concentrations to the 9
vertical distributions
of phytoplankton in marine water columns; Novel method to determine 547
vesicular-arbuscular mycorrhizae
: development and interactions with the nitrogen fixing symbiosis; Root-zone temperature and soybean [*Glycine max.* (L.) Merr.] 287

Water
acquisition and rooting characteristics in northern and southern populations of *Gutierrezia sarothrae*. 1
water columns, marine
Novel method to determine vertical distributions of phytoplankton in 547
water relations
of NaCl-selected and non-selected callus lines of *Dactylis glomerata* L.; Growth, proline accumulation and..... 83
water stress
Stomatal resistance and the ratio of intercellular to ambient carbon dioxide in container-grown yellow-poplar seedlings exposed to chronic ozone fumigation and 161
water stress, natural
Morpho-anatomical alterations in leaves collected from beech trees (*Fagus sylvatica* L.) in conditions of 201
water, sewage
Induction of phytoestrogen production in *Medicago sativa* leaves by irrigation with 363
water-use efficiency
in *Abus firma*; Interactive effects of CO_2 enrichment and drought stress on gas exchange and..... 353
watershed liming
Competition among shoreline plants: responses to 507
waxes, Epi- and intracuticular
: their separation, chemical characteristics and role in cuticular permeability [*in French, with English abstract*] 399
wheat
Association of high-temperature injury with increased sensitivity of photosynthesis to abscisic acid in 441
Functional and ultrastructural injury to photosynthesis in, by high temperature during maturation..... 43
white pine seedlings;
Reflectance assessment of summer ozone fumigated Mediterranean 299
yellow-poplar seedlings
exposed to chronic ozone fumigation and water stress; Stomatal resistance and the ratio of intercellular to ambient carbon dioxide in container-grown 161
Zea mays L.
Responses of maize ( ) plants to copper stress - I. Growth, mineral contentand ultrastructure of roots..... 167
Zea mays L. CV Co-Op S259
Factors affecting nitrogen benefit from soybean [*Glycine max* (L.) Merr. CV Lee] to interplanted corn ( ) 497
zinc
and nickel resistance in *Acer pseudoplatanus* L. (sycamore) callus cell lines; Induction of..... 465

PRINTED IN GREAT BRITAIN AT BPC-AUP ABERDEEN LTD.